

## braun vista series wheelchair lift manual



**File Name:** braun vista series wheelchair lift manual.pdf

**Size:** 4682 KB

**Type:** PDF, ePub, eBook

**Category:** Book

**Uploaded:** 19 May 2019, 16:15 PM

**Rating:** 4.6/5 from 559 votes.

**Status:** AVAILABLE

Last checked: 10 Minutes ago!

**In order to read or download braun vista series wheelchair lift manual ebook, you need to create a FREE account.**

[\*\*Download Now!\*\*](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

### Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with braun vista series wheelchair lift manual . To get started finding braun vista series wheelchair lift manual , you are right to find our website which has a comprehensive collection of manuals listed. Our library is the biggest of these that have literally hundreds of thousands of different products represented.



## Book Descriptions:

# braun vista series wheelchair lift manual

The skilled craftsmen at BraunAbility design and assemble the finest accessibility products available, and they always do so with the users in mind. But if problems or issues do arise, these manuals include operating instructions, installation instructions, servicing instructions, and instructions for troubleshooting, if needed. In these manuals, users can find information on terminology, components, safety, operation, installation, service, maintenance schedules, troubleshooting tips, parts numbers, and repairs. BraunAbility encourages all commercial partners to review the material contained in these manual with your sales representative or dealer before attempting operation. Any questions or concerns can be addressed by your sales representative or dealer at that time. Please try again later. Please print or download one of the manuals indexed below. The expertise and service of our nationwide dealer network is just one more advantage of a BraunAbility Commercial product. This process involves a combination of online and hands on training. BraunAbility will increase service benefits for dealers that are certified, and we also send automatic certification expiration reminds to dealer staff. Because of this level of service and expertise, product manuals should only serve as a resource for locating information on serial numbers, parts numbers, basic schematics, service intervals, and basic troubleshooting tips. Any attempts to selfservice your BrauAbility lift could result in noncompliance with National Highway Traffic Safety Administration NHTSA requirements. Maintenance and lubrication procedures must be performed as specified by an authorized service technician. Notify the carrier at once with any claims. If you experience any issues with your BraunAbility commercial mobility lift during use, your first call should be to your local dealer. To find the contact information of the closest dealer to you, click [here](http://www.zajazdszalas.pl/userfiles/craftsman-electric-drill-manual.xml).

- **braun vista series wheelchair lift manual, braun vista series wheelchair lift manual, braun vista series wheelchair lift manual pdf, braun vista series wheelchair lift manual download, braun vista series wheelchair lift manual free, braun vista series wheelchair lift manual instructions, braun vista series wheelchair lift manual 2016, braun vista series wheelchair lift manual online, braun vista series wheelchair lift manual parts, braun vista series wheelchair lift manual review.**

The codes will be displayed on an LCD screen located on the lift control board inside the pump module. See the Manual Operating Instructions in the operators manual for pump cover removal instructions. Loctite is available from The Braun Corporation under part number 11522. These items are not included with replacement pump modules. This warranty is limited to the original purchaser and does not cover defects in the motor vehicle on which it is installed, or defects in the lift caused by a defect in any part of the motor vehicle. International. Vista 2. Split. Platform. Public Use. Wheelchair Lifts Congratulations. We at The Braun Corporation wish to express our fullest appreciation on your new This manual provides maintenance and service related material. Sincerely, Chief Executive Ofcer. Warranty. Consult your local Braun dealer regarding warranty policy. Serial No. Model No. Service Safety Precautions. 23. Center of Gravity. 5. Lift Terminology. 6. Switch and Sensor Locations. 7. Platform Fold Pressure Adjustment. 8. Platform Angle Adjustment. 9. Turnbuckle Adjustment. 10. Platform Half Stabilizer Roller Installation and Adjustment. 11. Roll Stop AntiRattle Installation and Adjustment. 12. Tower Microswitch Adjustment. 13. 14. Emergency Stop EStop Operating Instructions. 15. Static and Dynamic Tests. 16. 17. Maintenance and Lubrication. 18. 23. Lift Electrical Schematic. 24. Hydraulic Schematic. 25. Hydraulics Parts List. 26. Hydraulics Diagram. 27. Pump Module Parts List. 28. Pump Module

Diagram.29. Base Plate Assembly.30. Top Parallel Arm Assembly.31. Bottom Parallel Arm Assembly.32. Hydraulic Cylinder Assembly.33. Vertical Arm Assembly.34. Arm Cover Assembly.35. Handrail Assembly.36. Platform Assembly.37. Decals and Antiskid. 3841. Declaration of Conformity Machinery.4243. Declaration of Noise Emission.44. Declaration of Conformity EMC.45. Document Cross Reference. Owner Manual 36561. Page 1. Service Safety Precautions.<http://www.svenskafik.se/uploads/fckeditor/craftsman-electric-lawn-mower-manual.xml>

Safety SymbolsThe information containedLQVWDOODWLRQRSHUDWLRQPDLQWHnance and service proceduresSafety precautions are provided toThis symbol indicates that there are dangerous high voltages present inside theTo reduce the risk ofUse appropriate personal protective equipment when working on hydraulic system.Recognize the seriousness of this information. Page 2. Service Safety Precautions. Service Safety PrecautionsCorporation immediately. Failure to doConnect and secure asPage 3. SpecificationsOperating Temperature. Relative Humidity. Altitude. This equipment will operate correctly up to 1000m above mean sea level. Sound Pressure Level. Transportation and StorageModelMaximum. Load Capacity. Power. Requirement. Lift. WeightCenter of GravityAston, Birmingham B7 4PR, UK. Harmonized Standards. Referenced or AppliedEssential Health and Safety Requirements of Annex 1 of the. Machinery Directive. We hereby certify that the machinery described above conforms with the essential health and safety. States relating to the safety of machinery. Technical File Reference. Number. Page 42Principles. Safety of machinery. Minimum gaps to avoidSafety of machinery. Prevention of unexpectedSafety of machinery Ergonomic design principlesGeneral requirements. Tail LiftsPlatform lifts for mounting on wheeledPage 43. Declaration of Noise Emission. The Braun Corporation Vista 2 International Series System Sound Pressure Levels per EN ISO 11202 as based on testing on similar models are as follows. LpAm Operator Position. LpAm Bystander Position. Operating. IdleAmbient Correction Factor K3A calculated according to EN ISO 11204. Appendix A. Measurements were made at a height of 1.5 m and 1 m from the Operator Position and. Bystander positions. The difference between the extraneous noise level and theThis information, however, will enable the user of the machine to make a better evaluation of thePage 44. Braun CorporationWinamac, IN 46996Date of IssueDirective. Conforming Machinery.

Dual Parallel Arm Hydraulic Lift System. Century 2, Millennium 2, Vista 2, VL998, GL Series 04 andManufacturer. Braun CorporationWinamac, IN 46996Braun Corporation Authorized RepresentativeAston, Birmingham B7 4PR, UK. Harmonized Standards. Referenced or AppliedNumberPage 46. Over 300 Braun. Dealers WorldwideService Manual. International. Vista 2. Split Platform. Public Use. Wheelchair Lifts. Series AB. Braun Limited Warranty. Consult your local Braun dealer regarding warranty policy.All illustrations, descriptions and specifications in this manual are based on the latest product information availableThe Braun Corporation reserves the right to make changes at any time without notice. Original Instructions. Mounts to the side or rear door of the vehicle. The unique stacking platform stows below window level, allowing clear site lines while in transit. The doors can be opened and closed with all standard and optional lift controls.An optional remote control system is available. A manual back up pump allows the lift to be operated in the event of vehicle electrical failure. Check with supplier for quote. An optional remote control system is available. A manual back up pump allows the lift to be operated in the event of vehicle electrical failure. Check with supplier for quote. The doors can be opened and closed with all standard and optional lift controls.Each lift features Brauns Quiet Ride.Standards may relate to materials, manufacturing and installation. Products that meet Australian or international standards will have written certification. To find out if a product meets Australian Standards ask the supplier to show you the certificate. For more information about standards also seeMedical devices that are approved for use in Australia have been entered into a national database called the Australian Register of Therapeutic Goods ARTG, which is maintained by the Therapeutic Goods Administration TGA.

<https://www.thebiketube.com/acros-4-floor-manual>

You can ask the supplier for the ARTG number for the device you wish to purchase and search the ARTG for the entry. To access information on the ARTG visit [www.tga.gov.au](http://www.tga.gov.au) As information is subject to change any. When your wheelchair lift stops, panic can set in and we tend to act with emotion and sometimes over think simple solutions when you attempt to fix a broken wheelchair lift. In many cases it can be a simple fix, seat belt unclipped, low voltage or the most common is the door full open limit switch is not activated. Below we have troubleshooting tips on what to check for when attempting to fix your broken wheelchair lift. Sometimes the solution to fix the broke wheelchair lift is very easy, sometimes it requires a certified tech to service the lift. If your hydraulic leaves you stranded you can try these troubleshooting methods to fix your broke wheelchair lift. Typically Located On Top Of Pump Cover Check to make sure the power cable has power entering the wheelchair lift, if you dont you should trace the power cable back to battery and look for damage causing loss of power. When you push deploy you should hear the solenoid clicking and releasing. If you hear it releasing and the lift is not lowering give a pull on the platform pulling it out. If you do not hearing it releasing you need to locate the cover on the side of the lift. On one side of the lift you will see a large cover that is for the pump, typically on the opposite side will be the solenoid. Examine where the solenoid wiring connects to main lift harness, unclip the connectors and check for excessive corrosion, if dirty clean points and clip them back together firmly. The Solenoid will have a thin tall clip that should be attached to the return spring. If the thin clip is disconnected from either the spring or solenoid post reattach them together. Once you have them reconnected push the deploy button on the hand pendant to see if the solenoid activates.

<https://panaceafamilymedicine.com/images/88-4runner-factory-service-manual.pdf>

If you still have no action, it is possible the solenoid has failed and will need to be replaced. BraunAbility wheelchair lifts have drift struts. Push the stow button to raise the lift fully vertical, hit the deploy button and make sure the locks stay up allowing the platform to lower. The drift struck is a gas strut, if its worn out the drift strut will collapse back to the lift faster then it deploys, if needed with a screw driver manually hold the strut up until the lift deploys past them. The solution would be to replace them. If the broke wheelchair lift has a seat belt, make sure its fully clipped in, wiggle connections while pushing the down button and check for lose or broke wire. Next you should locate the outboard rollstop at the end of the platform, check on the side of the platform for limit switches, remove covers if necessary. Make sure the outboard is fully activating the limit switch. Adjust if not fully engaging and test. At the opposite side of the platform is the inboard roll stop. Lift the bridge plate up so you can see the threshold plate. In the middle you will see a black bloke, this is a pressure limit switch. Push down and listen to hear the switch clicking and releasing. If you hear it clicking and releasing hold the bridge plate up and test lift. If still no activation you can remove the pressure limit switch, disconnect the switch. To verify this is the issue with the broke wheelchair lift you could connect the two wires on the main lift harness side to temporarily bypass the switch. If the lift operates with them temporally connected it confirms the issue. Immediately disconnect the wires and reconnect the pin connector and replace the switch. You should never operate the lift without this pressure limit switch, if you use the lift for commercial use you are not compliant and face major liability issues, if the lift is personal use you will run the risk of flipping your family member in the wheelchair off the platform from floor level.

<http://pandaplast.com/images/88-4runner-service-manual.pdf>

Its simply a troubleshooting technique to verify the solution without the new switch. At the end of the platform check if there is a limit switch. If so, tapp it a few times to see if its stuck and release. You can also look to make sure it the wire harness is firmly clipped together. You will commonly see a micro limit switch or a mag switch. Check switch for proper function, replace if necessary. If the

wheelchair lift is raising up a few inches and the outboard roll stop is not completely vertical activating the limit switch the lift will automatically stop. The outboard roll stop needs to be fully closed and limit switch being activated before it will travel higher. A quick solution is to load the wheelchair on backwards. When you do this you will be putting the batteries and more weight closer to the lifting point on the wheelchair lift. The vertical arms are connected to the platform and have rams that perform the raising and lowering of the wheelchair lift. The strength of the wheelchair is this area. The parallel arms are attached to the top of the vertical arms. You will see a wire harness with limit switches. Locate the small micro limit switch and make sure the down limit is activated and the up is open. If the down is not, bend tap to adjust. Trace the wire harness back throughout the lift and look for smashed areas. If you locate split or smash areas along the harness inspect to see if you have broken wires. Check in areas that have tight corners and inspect for breaks in wires, if possible wiggle wire harness in different areas while pushing the up button on the hand pendant. Continue to follow the harness all the way back to under the cover. Remove cover and continue to trace to board. You might come across points where they are junctions in the harness, this allows you to replace certain areas without replacing the entire wire harness. Make sure all junctions are firmly connected and corrosion free.

If the wire harness appears to be damage free we would recommend you manually stow the wheelchair lift, put the pump cover back on and bring the lift to a certified tech. If you are not careful you can very easily short the board out and have an expensive repair bill ahead. It looks similar to a jack handle. Remove the jack handle and locate the front of the wheelchair pump inside of the vehicle. On the top you will see they have instructions to follow. Locate the Pump Cover, on the front you will see a small tee post, one end of the pump handle you will have it open with a small notch in the bottom. Place the bottom of the handle with notch and insert it over the tee post. Before you turn the handle you will need to lift up on the inboard roll stop resting on the lift's threshold, you only need to raise it slightly to raise the bridge plate over the stow locks. When you turn the handle clockwise you will tighten the tee post and the lift will stop. Open the tee post until the lift is at floor level and tighten back to stop lift for loading on to the wheelchair platform. Ensure it is as tight before loading on. When the wheelchair is centered on the platform, turn the tee post back counter clockwise to lower to ground. When the lift is level on the ground help open the outboard roll stop if necessary. Push up on the locks resting over the outboard barrier. Hand Pendants Get Slammed In Doors Crimping The Wires Causing Them To Short Out. The default location you are seeing may have been pulled via your IP Address which typically is only accurate within about 30 miles. United Access is your source for Braun wheelchair platform lift sales and handicap lifts. On this page UVL Braun wheelchair lift manuals Series, Vangater, Millennium, Century, Lift Parts. Braun Corporation offers a range of wheelchair lift products to suit many mobility needs. Discover Braun's full line of commercial mobility products, including commercial wheelchair lifts, accessible vans, and power wheelchair ramps.

[thefutureofgolf.eu/wp-content/plugins/formcraft/file-upload/server/content/files/16270d7c129a63---bounty-hunter-quicksilver-metal-detector-with-lcd-display-manual.pdf](http://thefutureofgolf.eu/wp-content/plugins/formcraft/file-upload/server/content/files/16270d7c129a63---bounty-hunter-quicksilver-metal-detector-with-lcd-display-manual.pdf)

Here you can find the latest products in different kinds of Braun wheelchair lift manuals. We provide 20 for you about. Free Owners Manual PDF. Braun Millennium wheelchair lifts are available at Ability Center of California, Arizona, and Nevada. Braun UVL wheelchair lifts are available at Ability Center of California, Arizona, and Nevada. United Access is your source for Braun wheelchair platform lift sales and handicap lifts. On this page UVL Braun wheelchair lift manuals Series, Vangater, Millennium, Century, Lift Parts. Braun Corporation offers a range of wheelchair lift products to suit many mobility needs. Discover Braun's full line of commercial mobility products, including commercial wheelchair lifts, accessible vans, and power wheelchair ramps. Here you can find the latest products in different kinds of Braun wheelchair lift manuals. We provide 20 for you about.

Free Owners Manual PDF. Braun Millennium wheelchair lifts are available at Ability Center of California, Arizona, and Nevada. Braun UVL wheelchair lifts are available at Ability Center of California, Arizona, and Nevada. Like most of our lifts it is available for both consumer use and commercial use. The inboard barrier, the roll stop and the handle bars are easy to see in their high visibility yellow. Each unit goes under rigorous scrutiny both during and at the end of the production phase. We do this to ensure a lift that will do its job and continue to do so for a long, long time. Click here to find your local dealer. There are several different lifts out there with a variety of features to choose from, but some wheelchair lifts work better for certain vehicles than others do. We understand that every person has different needs and abilities. From lifts that will mount under your vehicle to ones that mount inside and allow for more interior room, we'll use our expertise to help you make the right decision. This lift folds out of the way on the inside of your van.

You can open the doors and exit without deploying the lift. Lift suitable for up to 600 lbs. Lift operation is controlled by the standard handheld control, the onlift controls, or the optional remote control. A model is also available for installation in minivans. With the compact trifold platform, the lift occupies minimal space inside the vehicle. With the lift mounted underneath the vehicle, it remains out of sight and out of your way until needed. This means easy access, a clear side view and maximum interior space something your friends and family will appreciate on every trip. Lift suitable for up to 600 lbs. All functions are controlled by the standard handheld control or the optional remote control. With dual hydraulic lifting arms, you'll come to rely on the lift's strength and dependability day after day, year after year. Note that longer platforms will require raised doors. Lift operation is controlled by the standard handheld control, the onlift controls, or the optional remote control. The stacking platform stows below the level of the vehicle's windows, allowing you to enjoy the ride and the view. More importantly, the driver's vision is unobstructed increasing safety and your peace of mind. Lift operation is controlled by the standard handheld control, the onlift controls, or the optional remote control. The strong all-steel frame and powerful hydraulic pump allow quick, reliable operation of the lift. Handrails on the frame provide increased comfort and security. It also includes StoLok. The UNILite features an internal swing door operator and sliding door operator, a powered rollstop with mechanical latch, and handrails with control switch. The UNILite also features a built-in manual backup system and may be equipped with an optional remote control.

VMI Klearvue Folding Platform Wheelchair Lift The KlearVue Wheelchair Lift has a unique folding design which eliminates hazardous blind spots and provides an unobstructed view for drivers as well as passengers. Its compact design also means no modifications must be made to your vehicle's roof or door even when a long platform is necessary for larger wheelchairs and power scooters. It also features no-lube bearings at all major pivot points and patented StoLok. The Reliant also includes a built-in manual backup system. Mounts to the side or rear door of the vehicle. The unique stacking platform stows below window level, allowing clear sight lines while in transit. Some suppliers may distribute to other states or nationally. Please click the supplier's name for more information on that supplier. Standards may relate to materials, manufacturing, and installation. Products that meet Australian or international standards will have written certification. To find out if a product meets Australian Standards ask the supplier to show you the certificate. For more information about standards see ILCA cannot guarantee that all information given is correct. Prices shown are a rough guide. Some products may incur GST. Check with suppliers for up-to-date prices. The display of products at an ILCA centre, or details given in print, is only for your information. It is not a recommendation. You should always get professional advice when choosing products. The person choosing the product is responsible for their choice. ILCA takes no responsibility for people choosing equipment or services which will cause or be alleged to have caused loss or injury. You must follow the manufacturer's or service provider's instructions when using equipment or services. All rights reserved. Coach and Equipment carries many different Braun wheelchair lift models and replacement parts.

Parts offered include brackets, latches, handles, fuses, lift actuators, lift arms, lift barriers, lift belts, lift bumpers, lift gas springs, lift circuit boards, lift relays, lift solenoids and more. We have a variety of Braun wheelchair lift series and models available. When not in use the split platform is stowed in parallel to the vehicle's sides, leaving an unobstructed view and good access. With a handheld control you can stow or retrieve your wheelchair in 30 seconds.

<http://schlamm.atlas.de/en/node/16459>